



A CSW Industrials Company

# SAFETY DATA SHEET

Issuing Date 19-Apr-2018

Revision Date 19-Apr-2018

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION

### Product identifier

**Product Name** CLEAN UP AEROSOL

### Other means of identification

### Recommended use of the chemical and restrictions on use

**Recommended Use** For industrial use only

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

**Supplier Identification** Jet-Lube LLC

**Address** Jet Lube LLC  
930 Whitmore Drive  
Rockwall, Texas USA 75087  
TEL: +1-713-670-5700 (8am-5pm CST)

**Telephone** US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108

**E-mail** Sales@jetlube.com

### Emergency telephone number

**Company Emergency Phone Number** 1-800-699-6318

**Emergency Telephone Number** CHEMTREC: +1-703-527-3887 (INTERNATIONAL)  
1-800-424-9300 (NORTH AMERICA)

## 2. HAZARDS IDENTIFICATION

### Classification

Skin corrosion/irritation	Category 2
Germ cell mutagenicity	Category 1B
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1



Flammable Aerosols	Category 1
Gases Under Pressure	Liquefied Gas

**Appearance** Clear

**Physical state** Liquid spray

**Odor** Solvent

**GHS Label elements, including precautionary statements**

**Danger**

**Hazard statements**

- Causes skin irritation
- May cause genetic defects
- Suspected of damaging fertility or the unborn child
- May cause drowsiness or dizziness
- May cause damage to organs through prolonged or repeated exposure
- May be fatal if swallowed and enters airways
- Extremely flammable aerosol
- Contains gas under pressure; may explode if heated



**Precautionary Statements - Prevention**

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Wear protective gloves/protective clothing/eye protection/face protection
- Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Do not spray on an open flame or other ignition source
- Pressurized container: Do not pierce or burn, even after use

**Precautionary Statements - Response**

- IF exposed or concerned: Get medical advice/attention
- Specific treatment (see supplemental first aid instructions on this label)

**Skin**

- IF ON SKIN: Wash with plenty of water and soap
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash it before reuse

**Inhalation**

- IF INHALED: Remove person to fresh air and keep comfortable for breathing

**Ingestion**

- IF SWALLOWED: Immediately call a POISON CENTER or doctor
- Do NOT induce vomiting

**Precautionary Statements - Storage**

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed
- Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
- Protect from sunlight



**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other information**

May be harmful in contact with skin Toxic to aquatic life with long lasting effects

**Unknown acute toxicity** 99.3 % of the mixture consists of ingredient(s) of unknown toxicity  
 29.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity  
 29.2 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
 99.3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)  
 29.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)  
 99.3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance**

Not applicable.

**Mixture**

Chemical name	CAS-No	Percent	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
n-Hexane	110-54-3	70 - 75	-	-
Petroleum distillates	68476-85-7	24 - 29	-	-

### 4. FIRST AID MEASURES

**First aid measures****General advice**

Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. Immediate medical attention is required.

**Inhalation**

Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur.

**Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

**Skin contact**

In case of contact with liquefied gas, thaw frosted parts with lukewarm water. Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

**Ingestion**

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed - can enter lungs and cause damage. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical advice/attention.

**Self-protection of the first aider**

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media** Dry chemical. Carbon dioxide (CO2). Water spray.

**Unsuitable extinguishing media** DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

**Specific hazards arising from the chemical** Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket.

**Hazardous Combustion Products** Carbon oxides.

**Explosion Data**  
**Sensitivity to Mechanical Impact** Yes.  
**Sensitivity to Static Discharge** Yes.

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

**Other Information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions**

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

**Methods and material for containment and cleaning up**

**Methods for containment** Stop leak if you can do it without risk. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches



and waterways. Flood with water to complete polymerization and scrape off floor.

**Methods for cleaning up**

Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards**

Clean contaminated objects and areas thoroughly observing environmental regulations.

**7. HANDLING AND STORAGE**

Precautions for safe handling

**Advice on safe handling**

Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapors or mists. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

**Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Control parameters

**Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
n-Hexane 110-54-3	STEL: 1000 ppm other than n-Hexane TWA: 50 ppm S*	TWA: 500 ppm TWA: 1800 mg/m <sup>3</sup> (vacated) TWA: 50 ppm (vacated) TWA: 180 mg/m <sup>3</sup> (vacated) STEL: 1000 ppm (vacated) STEL: 3600 mg/m <sup>3</sup>	IDLH: 1100 ppm Ceiling: 510 ppm 15 min Ceiling: 1800 mg/m <sup>3</sup> 15 min TWA: 50 ppm TWA: 180 mg/m <sup>3</sup>	
Petroleum distillates 68476-85-7	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>	
Chemical name	Alberta	British Columbia	Ontario TWAEV	Quebec
n-Hexane 110-54-3	TWA: 50 ppm TWA: 176 mg/m <sup>3</sup> Skin	TWA: 20 ppm Skin	TWA: 50 ppm STEL: 1000 ppm Skin	TWA: 50 ppm TWA: 176 mg/m <sup>3</sup> STEL: 1000 ppm STEL: 3500 mg/m <sup>3</sup>



				Skin
Petroleum distillates 68476-85-7	TWA: 1000 ppm STEL: 1500 ppm	TWA: 1000 ppm STEL: 1250 ppm	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

**Appropriate engineering controls**

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Tight sealing safety goggles.

**Hand protection** Impervious gloves. Wear suitable gloves. Nitrile rubber. Viton™. Protective gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Physical and Chemical Properties**

**Physical state** Liquid spray  
**Appearance** Clear  
**Odor** Solvent  
**Color** No information available  
**Odor Threshold** No information available

<u>Property</u>	<u>Values</u>	<u>Remarks Method</u>
pH	7	
Melting / freezing point	-22.3	None known
Boiling point / boiling range	>100	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	0.69	
Water Solubility	Insoluble	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	Not Applicable	
Autoignition temperature	No data available	None known



Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No information available	
Oxidizing properties	No information available	

**Other Information**

Softening Point	No information available
Molecular Weight	No information available
VOC Content (%)	>95
Liquid Density	No information available
Bulk Density	No information available
Particle Size	No information available
Particle Size Distribution	No information available

**10. STABILITY AND REACTIVITY**

<b>Reactivity</b>	No information available.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of Hazardous Reactions</b>	None under normal processing.
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Heat, flames and sparks. Excessive heat.
<b>Incompatible materials</b>	Strong acids. Strong bases. Strong oxidizing agents.
<b>Hazardous Decomposition Products</b>	Carbon oxides.

**11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure**

**Product Information**

<b>Inhalation</b>	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Irritating to eyes. (based on components).
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components). Repeated exposure may cause skin dryness or cracking.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Information on toxicological effects**

<b>Symptoms</b>	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
-----------------	---



**Numerical measures of toxicity**

**Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

<b>ATEmix (oral)</b>	25,250.00 mg/kg
<b>ATEmix (dermal)</b>	3,030.00 mg/kg
<b>ATEmix (inhalation-vapor)</b>	170.86 mg/L

**Unknown acute toxicity** 99.3 % of the mixture consists of ingredient(s) of unknown toxicity  
 29.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity  
 29.2 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
 99.3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)  
 29.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)  
 99.3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
n-Hexane	= 25 g/kg ( Rat )	= 3000 mg/kg ( Rabbit )	= 48000 ppm ( Rat ) 4 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation** Classification based on data available for ingredients. Irritating to skin.  
**Serious eye damage/eye irritation** No information available.  
**Respiratory or skin sensitization** No information available.  
**Germ cell mutagenicity** Classification based on data available for ingredients. Contains a known or suspected mutagen.  
**Carcinogenicity** Based on available data, the classification criteria are not met.  
**Reproductive toxicity** Classification based on data available for ingredients. Contains a known or suspected reproductive toxin.  
**STOT - single exposure** May cause drowsiness or dizziness.  
**STOT - repeated exposure** May cause damage to organs.  
**Aspiration hazard** May be fatal if swallowed and enters airways.

**12. ECOLOGICAL INFORMATION**

**Marine Pollutant** This product contains a chemical which is listed as a marine pollutant according to DOT  
**Ecotoxicity** Toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
n-Hexane	-	96h LC50: 2.1 - 2.98 mg/L (Pimephales promelas)	-	24h EC50: > 1000 mg/L

**Persistence and Degradability** No information available.

**Bioaccumulation**





Chemical name	Log Pow
Petroleum distillates	2.8

**Mobility** No information available.

**Other adverse effects** No information available.

**13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**US EPA Waste Number** D001

**California Hazardous Waste Codes** 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
n-Hexane 110-54-3	Toxic Ignitable

**14. TRANSPORT INFORMATION**

DOT

**UN-No.** UN1950  
**Proper Shipping Name** AEROSOLS  
**Hazard Class** 2.1  
**Marine Pollutant** This product contains a chemical which is listed as a marine pollutant according to DOT  
**Description** UN1950, AEROSOLS, 2.1 (HEXANE)

TDG

**UN-No.** UN1950  
**Proper Shipping Name** AEROSOLS  
**Hazard Class** 2.1  
**Packing Group** None  
**Description** UN1950, AEROSOLS, 2.1

MEX

**UN-No.** UN1950  
**Proper Shipping Name** AEROSOLS  
**Hazard Class** 2.1  
**Description** UN1950, AEROSOLS, 2.1

ICAO

**UN-No.** UN1950  
**Proper Shipping Name** AEROSOLS  
**Hazard Class** 2.1  
**Description** UN1950, AEROSOLS, 2.1



**IATA**

UN-No. UN1950  
Proper Shipping Name AEROSOLS, FLAMMABLE  
Hazard Class 2.1  
Packing Group None  
ERG Code 10L  
Description UN1950, AEROSOLS, FLAMMABLE, 2.1

**IMDG/IMO**

UN-No. UN1950  
Proper Shipping Name AEROSOLS  
Hazard Class 2  
Packing Group None  
EmS-No. F-D, S-U  
Marine Pollutant This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO  
Description UN1950, AEROSOLS (HEXANE), 2.1, MARINE POLLUTANT

**RID**

UN-No. UN1950  
Proper Shipping Name AEROSOLS  
Hazard Class 2.1  
Classification code 5F  
Description UN1950, AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS  
ADR/RID-Labels 2.1

**ADR**

UN-No. UN1950  
Proper Shipping Name AEROSOLS  
Hazard Class 2.1  
Classification code 5F  
Tunnel restriction code (D)  
Description UN1950, AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS

**ADN**

UN-No. UN1950  
Proper Shipping Name AEROSOLS  
Hazard Class 2.1  
Classification code 5F  
Special Provisions 190, 327, 344, 625  
Description UN1950, AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS  
Hazard Labels 2.1  
Limited Quantity 1 L  
Ventilation VE01, VE04

**15. REGULATORY INFORMATION**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**International Regulations**

**Ozone-depleting substances (ODS)** Not applicable

**Persistent Organic Pollutants** Not applicable

**Export Notification requirements** Not applicable

**International Inventories**

**TSCA** Complies.  
**DSL/NDL** Contact supplier for inventory compliance status.



**EINECS/ELINCS** Contact supplier for inventory compliance status.  
**ENCS** Contact supplier for inventory compliance status.  
**KECL** Contact supplier for inventory compliance status.  
**PICCS** Contact supplier for inventory compliance status.  
**AICS** Contact supplier for inventory compliance status.

**Legend**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS-No	Percent	SARA 313 - Threshold Values %
n-Hexane - 110-54-3	110-54-3	70 - 75	1.0

**Acute Health Hazard** Yes  
**Chronic Health Hazard** Yes  
**Fire Hazard** Yes  
**Sudden release of pressure hazard** Yes  
**Reactive Hazard** No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
n-Hexane 110-54-3	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
n-Hexane 110-54-3	X	X	X	X	X
Petroleum distillates	X	X	X	X	



68476-85-7					
------------	--	--	--	--	--

**16. OTHER INFORMATION**

**NFPA** Health hazards 2 Flammability 4 Instability 0 Physical and Chemical Properties -  
**HMIS** Health hazards 2 \* Flammability 4 Physical hazards 0 Personal Protection X  
*Chronic Hazard Star Legend \* = Chronic Health Hazard*

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Issuing Date** 19-Apr-2018

**Revision Date** 19-Apr-2018

**Revision Note** No information available

**Disclaimer**  
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**

