



WRL™ AEROSOL WIRE ROPE AND CHAIN LUBRICANT

DESCRIPTION

Wire ropes contain numerous moving parts that require lubrication. Each time the rope bends or flexes, the internal strands rub together. **WRL™** coats these strands with a nearly VOC-free lubricant to prevent friction and wear. This results in longer life, less downtime for rope changes and more production.

JET-LUBE's WIRE ROPE and CHAIN LUBRICANT quickly penetrates to the cores. This ensures that the rope is lubricated throughout while providing a nondrying, non-tacky film on the outside of the rope that protects outer strands from corrosion, as well as lubricating the wire rope drums and sheaves.

WRL is pumpable at temperatures down to -25°F (-32°C) Its nondrying film remains flexible in most extreme weather conditions, which eliminates flaking and peeling.

- Lead Free
- Prolongs wire rope life
- Non-tacky
- Pumpable
- Displaces water
- Protects against rust and corrosion
- Flexible finish
- Convenient Aerosol package

APPLICATIONS

WRL can be used to lubricate all sizes of wire rope, as well as chains, leaf springs and other applications where a penetrating oil is needed.

SERVICE RATING
-25°F (-32°C) to 350°F (175°C)

WRL Wire Rope Lubricant
Contains no 1.1.1 Trichloroethane, Freon TF or other ozone harming ingredients.

PRODUCT CHARACTERISTICS

Spray Pattern	Tight Stream
Propellant	Carbon Dioxide
Solvent Type	LVP Petroleum Distillate
Fluid Type	Petroleum Oil
Specific Gravity	0.83
Density (lbs/gal)	6.9
Viscosity, (ASTM D-445)	
cSt @ 40°C	4.5 – 6.0
Pour Point, (ASTM D-97)	<40°F(-40°C)
Rust Test, (ASTM D-665)	A. Pass
Flash Point (ASTM D-92)	>176°F(79°C)
Color/Appearance	Amber
Spray Pattern	Tight Stream
Propellant	Carbon Dioxide
Solvent Type	Petroleum Distillate
Dielectric Strength (ASTM D-877)	35 kv
VOC Content	Nil (LVP solvent)
NFPA 30 B Storage Class	Level II

For package types and part numbers contact sales@jetlube.com

LIMITED WARRANTY

For warranty information please visit http://www.jetlube.com/pdf/Jet-Lube_Warranty.pdf

You can also email us at sales@jetlube.com or write to the Sales Department at the address below.